



Received 30 March 2017 Accepted 2 April 2017

ISSN 2056-9890

Edited by M. Weil, Vienna University of Technology, Austria

‡ Additional correspondence author, e-mail: mmjotani@rediffmail.com.

Keywords: crystal structure; organotin; C— H···F interactions; Hirshfeld surface analysis.

CCDC reference: 1541712

Supporting information: this article has supporting information at journals.iucr.org/e

trans-Dichloridobis(dimethyl sulfoxide- κO)bis(4-fluorobenzyl- κC^1)tin(IV): crystal structure and Hirshfeld surface analysis


Nur Adibah Binti Mohd Amin,^a Rusnah Syahila Duali Hussen,^a See Mun Lee,^b Nathan R. Halcovitch,^c Mukesh M. Jotani^d‡ and Edward R. T. Tiekink^b*

^aDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, ^bResearch Centre for Crystalline Materials, School of Science and Technology, Sunway University, 47500 Bandar Sunway, Selangor Darul Ehsan, Malaysia, ^cDepartment of Chemistry, Lancaster University, Lancaster LA1 4YB, United Kingdom, and ^dDepartment of Physics, Bhavan's Sheth R. A. College of Science, Ahmedabad, Gujarat 380001, India. *Correspondence e-mail: edwardt@sunway.edu.my


The Sn^{IV} atom in the title diorganotin compound, $[Sn(C_7H_6F)_2Cl_2(C_2H_6OS)_2]$, is located on a centre of inversion, resulting in the $C_2Cl_2O_2$ donor set having an all-trans disposition of like atoms. The coordination geometry approximates an octahedron. The crystal features $C-H\cdots F$, $C-H\cdots Cl$ and $C-H\cdots \pi$ interactions, giving rise to a three-dimensional network. The respective influences of the $Cl\cdots H/H\cdots Cl$ and $F\cdots H/H\cdots F$ contacts to the molecular packing are clearly evident from the analysis of the Hirshfeld surface.

1. Chemical context

The structural chemistry of organotin(IV) compounds with multidentate Schiff base ligands has been of interest since the observation of the diversity in their supramolecular association patterns (Teoh et al., 1997; Dey et al., 1999). Typically, these multidentate ligands bind to the tin atom through the phenolic-O, imine-N, oxime-O or even oxime-N atoms. In view of this, the coordination of these multidentate ligands to (organo)tin may lead to more thermodynamically stable organotin complexes, in contrast to those with monodentate ligands (Vallet et al., 2003; Contreras et al., 2009), a feature which could potentially be useful in catalytic studies (Yearwood et al., 2002). In consideration of this and as part of ongoing work with multidentate ligands of organotin compounds (Lee et al., 2004), an attempt to synthesize an adduct of the potentially tetradentate Schiff base N,N-1,1,2,2-dinitrilevinylenebis(5-bromosalicylaldiminato) with di(p-fluorobenzyl)tin(IV) dichloride was made.



The complex was obtained as an orange powder and was successfully characterized using various spectroscopic methods including ¹H NMR spectroscopy. Upon interaction with DMSO-*d*₆, in the context of NMR studies, colourless





research communications

Table 1
Selected geometric parameters (Å, °).

| Sn-C1 | 2.1628 (16) | Sn-Cl1 | 2.5599 (4) |
|----------------|-------------|------------------------|------------|
| Sn-O1 | 2.2332 (11) | | |
| C1-Sn-O1 | 95.99 (5) | C1-Sn-Cl1 ⁱ | 89.95 (5) |
| C1-Sn-Cl1 | 90.05 (5) | O1-Sn-Cl1 | 90.44 (3) |
| $C1-Sn-O1^{i}$ | 84.01 (5) | $O1-Sn-Cl1^{i}$ | 89.56 (3) |

Symmetry code: (i) -x + 1, -y + 1, -z + 1.

crystals were obtained after several weeks standing. The formation of the new title compound, (I), is likely due to degradation of the complex while stored in the NMR tube. In the present contribution, the crystal and molecular structures of (I) are described as well as a detailed analysis of the intermolecular association through a Hirshfeld surface analysis.

2. Structural commentary

The molecular structure of (I), Fig. 1, has the $\rm Sn^{IV}$ atom situated on a crystallographic centre of inversion. The $\rm Sn^{IV}$ atom is coordinated by monodentate ligands, *i.e.* chloride, sulfoxide-O and methylene-C atoms. From symmetry, each donor is *trans* to a like atom resulting in an all-*trans*- $\rm C_2Cl_2O_2$ donor set about the $\rm Sn^{IV}$ atom. The donor set defines a distorted octahedral geometry owing, in part, to the disparate $\rm Sn^{IV}$ atom differ relatively little from the ideal octahedral angles with the maximum deviation of $\it ca~6^\circ$ noted for the $\rm C1-Sn-O1$ angle, Table 1.

3. Supramolecular features

The molecular packing in (I) comprises $C-H\cdots F$, $C-H\cdots Cl$ and $C-H\cdots \pi$ interactions which combine to generate a three-dimensional network, Table 2. The chloride atom participates in phenyl-C6 $-H\cdots Cl1$ and methyl-C8 $-H\cdots Cl1$ interactions. As each chloride atom is involved in two $C-H\cdots Cl$ interactions and there are two chloride atoms per




Figure 1 The molecular structure of (I), showing the atom-labelling scheme and displacement ellipsoids at the 70% probability level. The Sn^{IV} atom lies on a centre of inversion; unlabelled atoms are related by the symmetry operation 1 - x, 1 - y, 1 - z.




Figure 2 The molecular packing in (I): (a) supramolecular layer in the bc plane sustained by $C-H\cdots Cl$ interactions and (b) a view of the unit-cell contents in projection down the c axis. The $C-H\cdots Cl$, $C-H\cdots F$ and $C-H\cdots \pi$ interactions are shown as orange, blue and purple dashed lines, respectively.

(b)

molecule, the C-H \cdots Cl interactions extend laterally to give rise to a supramolecular layer in the bc plane, Fig. 2a. Layers are connected along the a axis by phenyl-C3-H \cdots F1 and methyl-C9-H $\cdots\pi$ (phenyl) interactions to consolidate the molecular packing, Fig. 2b.

Table 2 Hydrogen-bond geometry (Å, °).

Cg1 is the centroid of the C2-C7 ring.

| D $ H$ $\cdot \cdot \cdot A$ | D-H | $H \cdot \cdot \cdot A$ | $D \cdot \cdot \cdot A$ | D $ H$ \cdots A |
|---|--------------|-------------------------|----------------------------|-----------------------|
| C3-H3···F1 ⁱⁱ | 0.95 | 2.49 | 3.333 (2) | 147 |
| C6-H6···Cl1 ⁱⁱⁱ | 0.95 | 2.77 | 3.6129 (18) | 148 |
| $C8-H8B\cdots C11^{iv}$ $C9-H9C\cdots Cg1^{v}$ | 0.98 0.98 | 2.76 2.67 | 3.6379 (17) 3.3887 (19) | 150 130 |

Symmetry codes: (ii) -x, $y + \frac{1}{2}$, $-z + \frac{1}{2}$; (iii) x, $-y - \frac{1}{2}$, $z - \frac{1}{2}$; (iv) -x + 1, $y - \frac{1}{2}$, $-z + \frac{1}{2}$; (v) x + 1, y, z.

4. Hirshfeld surface analysis

The Hirshfeld surface analysis on the structure of (I) provides more insight into the molecular packing and was performed as described recently (Wardell et al., 2016). It is evident from the bright-red spots appearing near the chloride and fluoride atoms on the Hirshfeld surface mapped over d_{norm} in Fig. 3 that these atoms play a significant role in the molecular packing. Thus, the bright-red spots near phenyl-H6, methyl-H8B and a pair near Cl1 in Fig. 3 indicate the presence of bifurcated C-H···Cl interactions formed by each of the chloride atoms. Similarly, the pair of red spots near phenyl-H3 and F1 atoms are associated with the donor and acceptor of C−H···F interactions, respectively. The donors and acceptors of C-H···Cl and C-H···F interactions are also represented with blue (positive potential) and red regions (negative potential), respectively, on the Hirshfeld surface mapped over the electrostatic potential in Fig. 4. In addition to above, the Cl1 and F1 atoms also participate in short interatomic contacts with methyl-H atoms, Table 3. The presence of faint-red spots near the phenyl-C4 and methyl-C9 atoms in Fig. 3 indicate their participation in a short interatomic C···C contact, Table 3, which compliments the methyl- $C-H \cdot \cdot \cdot \pi(phenyl)$ contact described above. The presence of the $C-H\cdots\pi$ interaction is also evident from the view of Hirshfeld surface mapped over the electrostatic potential around participating atoms, Fig. 4; the donors and acceptors of these interactions are viewed as the convex surface around atoms of the methyl-




Figure 3 A view of the Hirshfeld surface for (I) mapped over d_{norm} over the range -0.049 to 1.356 au.

Table 3
Summary of short interatomic contacts (Å) in (I).

| Contact | distance | symmetry operation |
|-------------------|-----------|-------------------------------------|
| C4···C9 | 3.371 (2) | -1 + x, y, z |
| F1···H8A | 2.66 | 1 - x, -y, 1 - z |
| Cl1···H9 <i>B</i> | 2.91 | $1-x, \frac{1}{2}+y, \frac{1}{2}-z$ |

Note: (a) the Sn^{IV} atom is located on a centre of inversion.

Table 4
Percentage contribution of interatomic contacts to the Hirshfeld surface for (I).

| Contact | percentage contribution |
|---|-------------------------|
| H···H | 45.7 |
| Cl···H/H···Cl | 15.1 |
| $F \cdot \cdot \cdot H/H \cdot \cdot \cdot F$ | 19.8 |
| $C \cdot \cdot \cdot H/H \cdot \cdot \cdot C$ | 12.8 |
| $O \cdot \cdot \cdot H/H \cdot \cdot \cdot O$ | 4.1 |
| $S \cdot \cdot \cdot H/H \cdot \cdot \cdot S$ | 1.7 |
| $Cl \cdot \cdot \cdot F/F \cdot \cdot \cdot Cl$ | 0.6 |
| $C \cdot \cdot \cdot CI/CI \cdot \cdot \cdot C$ | 0.1 |
| $F \cdot \cdot \cdot F$ | 0.1 |

C9 groups and the concave surface above the (C2–C7) phenyl ring, respectively. The immediate environments about a reference molecule within d_{norm} and shape-index-mapped Hirshfeld surfaces highlighting the various C—H···Cl, C—H···F and C—H··· π interactions are illustrated in Fig. 5a–c, respectively.

The overall two-dimensional fingerprint plot and those delineated into $H \cdot \cdot \cdot H$, $CI \cdot \cdot \cdot H/H \cdot \cdot \cdot CI$, $F \cdot \cdot \cdot \cdot H/H \cdot \cdot \cdot F$, $C \cdot \cdot \cdot \cdot H/H \cdot \cdot \cdot CI$ and $O \cdot \cdot \cdot H/H \cdot \cdot \cdot OI$ contacts (McKinnon *et al.*, 2007) are illustrated in Fig. 6a-f, respectively, and their relative contributions to the Hirshfeld surfaces are summarized in Table 4. It is clear from the fingerprint plot delineated into $H \cdot \cdot \cdot H$ contacts, Fig. 6b, that although these contacts have the greatest contribution, *i.e.* 45.7%, to the Hirshfeld surface, the disper-




Figure 4 A view of the Hirshfeld surface for (I) mapped over the electrostatic potential in the range ± 0.095 au.

sion forces acting between them keep these atoms at the distances greater than the sum of their van der Waals radii, hence they do not contribute significantly to the molecular packing. The comparatively greater contribution of $F\cdots H/H\cdots F$ contacts to the Hirshfeld surface $cf. Cl\cdots H/H\cdots Cl$ contacts, Table 4, is due to the relative positions of the chloride and fluoride atoms in the molecule, the fluoride atoms being at the extremities and the chloride atoms near the tin(IV) atom. However, the $Cl\cdots H/H\cdots Cl$ contacts have a greater influence on the molecular packing as viewed from the delineated fingerprint plot in Fig. 6c. The forceps-like distribution of

(a) (b)

Figure 5 Views of the Hirshfeld surfaces about a reference molecule mapped over (a) shape-index, (b) d_{norm} and (c) shape-index, highlighting (a) $C-H\cdots F$ and short interatomic $F\cdots H/H\cdots F$ contacts as black and red dashed lines, respectively, (b) $C-H\cdots Cl$ and short interatomic $Cl\cdots H/H\cdots Cl$ contacts as black and red dashed lines, respectively, and (c) $C-H\cdots \pi$ and short interatomic $C\cdots C$ contacts as white and red dashed lines, respectively.

points in the plot with tips at $d_e + d_i \sim 2.8 \text{ Å}$ result from the bifurcated C-H···Cl interactions, and points at positions less than the sum of their van der Waals radii are ascribed to the short interatomic Cl···H/H···Cl contacts, the green appearance due to high density of interactions. Similarly, a pair of short spikes at $d_e + d_i \sim 2.5 \text{ Å}$ in the fingerprint plot delineated into F...H/H...F contacts, Fig. 6d, are indicative of intermolecular C-H···F interactions with the short interatomic $F \cdot \cdot \cdot H/H \cdot \cdot \cdot F$ contacts merged within the fingerprint plot. It is important to note from the fingerprint plot delineated into C···H/H···C contacts, Fig. 6e, that even though their interatomic distances are equal to or greater than the sum of their van der Waals radii, i.e. 2.9 Å, the 12.8% contribution from these to the Hirshfeld surfaces are indicative of the presence of $C-H\cdots\pi$ interactions in the structure. This is also justified from the presence of short interatomic $C \cdot \cdot \cdot C$ contacts, Fig. 5c and Table 3. The 4.1% contribution from O···H/H···O contributions to Hirshfeld surfaces, Fig. 6f, and the small




Figure 6 Fingerprint plots for (I): (a) overall and those delineated into (b) $H \cdots H$, (c) $Cl \cdots H/H \cdots Cl$, (d) $F \cdots H/H \cdots F$, (e) $C \cdots H/H \cdots C$ and (f) $O \cdots H/H \cdots O$ contacts.

Table 5 Selected geometric parameters (\mathring{A} , $\mathring{\circ}$) for molecules of the general formula $R_2 Sn X_2 (DMSO)_2$.

| Compound | X-Sn- X | O-Sn-O | C-Sn-C | Reference |
|--|-----------|-----------|-------------|-------------------------------|
| Me ₂ SnBr ₂ (DMSO) ₂ | 180 | 180 | 180 | Aslanov et al. (1978) |
| $Me_2SnCl_2(DMSO)_2$ | 95.2 (3) | 83.7 (5) | 172.7 (3) | Aslanov et al. (1978) |
| $Ph_2SnCl_2(DMSO)_2$ | 97.43 (3) | 79.34 (9) | 172.17 (14) | Sadiq-ur-Rehman et al. (2007) |
| (4-FC ₆ H ₄ CH ₂) ₂ SnCl ₂ (DMSO) ₂ | 180 | 180 | 180 | This work |

contributions from the other contacts listed in Table 2 have a negligible effect on the packing.

5. Database survey

There are three related structures of the general formula $R_2 \mathrm{Sn} X_2(\mathrm{DMSO})_2$ in the crystallographic literature (Groom *et al.*, 2016). Key bond angles for these are listed in Table 5. The $\mathrm{Me}_2 \mathrm{SnBr}_2(\mathrm{DMSO})_2$ compound (Aslanov *et al.*, 1978) is analogous to (I) in that the $\mathrm{Sn}^{\mathrm{IV}}$ atom is located on a centre of inversion and hence, is an all-*trans* isomer. The two remaining structures have a different arrangements of donor atoms with the common feature being the *trans*-disposition of the Snbound organic groups, with the halides and DMSO-O atoms being mutually cis, i.e. $R = \mathrm{Me}$ and $X = \mathrm{Cl}$ (Aslanov *et al.*, 1978; Isaacs & Kennard, 1970) and $R = \mathrm{Ph}$ and $X = \mathrm{Cl}$ (Sadiq-ur-Rehman *et al.*, 2007). Clearly, further studies are required to ascertain the factor(s) determining the adoption of one coordination geometry over another.

6. Synthesis and crystallization

All chemicals and solvents were used as purchased without purification. Di(*p*-fluorobenzyl)tin dichloride was prepared in accordance with the literature method (Sisido *et al.*, 1961). All reactions were carried out under ambient conditions. The melting point was determined using an Electrothermal digital melting point apparatus and was uncorrected. The IR spectrum was obtained on a Perkin Elmer Spectrum 400 FT Mid-IR/Far-IR spectrophotometer in the range 4000 to 400 cm⁻¹. The ¹H NMR spectrum was recorded at room temperature in CDCl₃ solution on a Jeol ECA 400 MHz FT–NMR spectrometer.

N,N'-1,1,2,2-Dinitrilevinylenebis(5-bromosalicylaldiminato) (1.0 mmol, 0.401 g; prepared by the condensation reaction between diaminomaleonitrile and 5-bromosalicylaldehyde in a 2:1 molar ratio in ethanol) and triethylamine (1.0 mmol, 0.14 ml) in ethyl acetate (25 ml) was added to di(p-fluorobenzyl)tin dichloride (1.0 mmol, 0.183 g) in ethyl acetate (10 ml). The resulting mixture was stirred and refluxed for 4 h. The filtrate was evaporated until a dark-orange precipitate was obtained. The precipitate was dissolved in DMSO- d_6 solution in a NMR tube for 1 H NMR spectroscopic characterization. After the analysis, the tube was set aside for a month and colourless crystals of (I) suitable for X-ray crystallographic studies were obtained from the slow evaporation. Yield: 0.060 g, 11%; m.p. 399 K. IR (cm⁻¹):

1595(m) ν (C=C), 1504(s) ν (S=O), 1161(m), 578(w), 508(m) ν (Sn-O). ¹H NMR (in CDCl₃): 6.90–7.11, 7.35–7.40 (m, 8H, aromatic-H), 3.11 (s, 6H, -CH₃), 2.17 (m, 4H, -CH₂).

7. Refinement details

Crystal data, data collection and structure refinement details are summarized in Table 6. Carbon-bound H-atoms were placed in calculated positions (C—H = 0.95–0.99 Å) and were included in the refinement in the riding model approximation, with $U_{\rm iso}({\rm H})$ set to 1.2– $1.5U_{\rm eq}({\rm C})$.

Funding information

Funding for this research was provided by: Sunway University (award No. INT-RRO-2017–096); University of Malaya (award Nos. RP017A-2014AFR, PG239–2016\#65532;A); Ministry of Higher Education, Malaysia (MOHE) Fundamental Research Grant Scheme (award No. FP033–2014B).

Table 6
Experimental details.

| $[Sn(C_7H_6F)_2Cl_2(C_2H_6OS)_2]$ |
|---|
| 564.08 |
| Monoclinic, $P2_1/c$ |
| 100 |
| 8.2363 (1), 12.7020 (2), 11.4038 (1) |
| 110.391 (2) |
| 1118.28 (3) |
| 2 |
| Cu Kα |
| 13.28 |
| $0.24 \times 0.12 \times 0.10$ |
| |
| Agilent SuperNova, Dual, Cu at zero, AtlasS2 |
| Multi-scan (<i>CrysAlis PRO</i> ; Rigaku Oxford Diffraction, 2015) |
| 0.636, 1.000 |
| 7792, 2292, 2228 |
| 0.020 |
| 0.631 |
| |
| 0.018, 0.046, 1.08 |
| 2292 |
| 126 |
| H-atom parameters constrained |
| |
| |

Computer programs: CrysAlis PRO (Rigaku Oxford Diffraction, 2015), SHELXS (Sheldrick, 2008), SHELXL2014 (Sheldrick, 2015), ORTEP-3 for Windows (Farrugia, 2012), DIAMOND (Brandenburg, 2006) and publCIF (Westrip, 2010).

research communications

References

- Aslanov, L. A., Ionov, V. M., Attiya, V. M., Permin, A. B. & Petrosyan, V. S. (1978). *Zh. Strukt. Khim.* **19**, 109–115.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Contreras, R., Flores-Parra, A., Mijangos, E., Téllez, F., López-Sandoval, H. & Barba-Behrens, N. (2009). *Coord. Chem. Rev.* **253**, 1979–1999.
- Dey, D. K., Dasa, M. K. & Nöth, H. (1999). Z. Naturforsch. Teil B, 54, 145–154.
- Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849-854.
- Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). Acta Cryst. B72, 171–179.
- Isaacs, N. W. & Kennard, C. H. L. (1970). J. Chem. Soc. A, pp. 1257–1261.
- Lee, S. M., Lo, K. M. & Ng, S. W. (2004). Acta Cryst. E60, m1614 m1616.

- McKinnon, J. J., Jayatilaka, D. & Spackman, M. A. (2007). *Chem. Commun.* pp. 3814–3816.
- Rigaku Oxford Diffraction (2015). CrysAlis PRO. Agilent Technologies Inc., Santa Clara, CA, USA.
- Sadiq-ur-Rehman, Saeed, S., Ali, S., Shahzadi, S. & Helliwell, M. (2007). Acta Cryst. E63, m1788.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sheldrick, G. M. (2015). Acta Cryst. C71, 3-8.
- Sisido, K., Takeda, Y. & Kinugawa, Z. (1961). J. Am. Chem. Soc. 83, 538–541.
- Teoh, S.-G., Yeap, G.-Y., Loh, C.-C., Foong, L.-W., Teo, S.-B. & Fun, H.-K. (1997). *Polyhedron*, **16**, 2213–2221.
- Vallet, V., Wahlgren, U. & Grenthe, I. (2003). J. Am. Chem. Soc. 125, 14941–14950.
- Wardell, J. L., Jotani, M. M. & Tiekink, E. R. T. (2016). *Acta Cryst.* E72, 1618–1627.
- Westrip, S. P. (2010). J. Appl. Cryst. 43, 920-925.
- Yearwood, B., Parkin, S. & Atwood, D. A. (2002). *Inorg. Chim. Acta*, **333**, 124–131.

supporting information

Acta Cryst. (2017). E73, 667-672 [https://doi.org/10.1107/S2056989017005072]

trans-Dichloridobis(dimethyl sulfoxide- κO)bis(4-fluorobenzyl- κC^1)tin(IV): crystal structure and Hirshfeld surface analysis

Nur Adibah Binti Mohd Amin, Rusnah Syahila Duali Hussen, See Mun Lee, Nathan R. Halcovitch, Mukesh M. Jotani and Edward R. T. Tiekink

Computing details

Data collection: CrysAlis PRO (Rigaku Oxford Diffraction, 2015); cell refinement: CrysAlis PRO (Rigaku Oxford Diffraction, 2015); data reduction: CrysAlis PRO (Rigaku Oxford Diffraction, 2015); program(s) used to solve structure: SHELXS (Sheldrick, 2008); program(s) used to refine structure: SHELXL2014 (Sheldrick, 2015); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012) and DIAMOND (Brandenburg, 2006); software used to prepare material for publication: publCIF (Westrip, 2010).

trans-Dichloridobis(dimethyl sulfoxide- κ O)bis(4-fluorobenzyl- κ C¹)tin(IV)

Crystal data

| $[Sn(C_7H_6F)_2Cl_2(C_2H_6OS)_2]$ $M_r = 564.08$ | F(000) = 564 $D_x = 1.675 \text{ Mg m}^{-3}$ |
|---|--|
| Monoclinic, $P2_1/c$ a = 8.2363 (1) Å | Cu $K\alpha$ radiation, $\lambda = 1.54184$ Å Cell parameters from 6127 reflections |
| a - 6.2303 (1) A b = 12.7020 (2) Å | $\theta = 5.4-76.3^{\circ}$ |
| c = 11.4038 (1) Å | $\mu = 13.28 \text{ mm}^{-1}$ |
| $\beta = 110.391 (2)^{\circ}$ | T = 100 K |
| $V = 1118.28 (3) \text{ Å}^3$ | Prism, colourless |
| Z=2 | $0.24 \times 0.12 \times 0.10 \text{ mm}$ |

Data collection

| Agilent SuperNova, Dual, Cu at zero, AtlasS2 diffractometer Radiation source: micro-focus sealed X-ray | $T_{\text{min}} = 0.636$, $T_{\text{max}} = 1.000$ 7792 measured reflections 2292 independent reflections |
|--|--|
| tube, SuperNova (Cu) X-ray Source | 2228 reflections with $I > 2\sigma(I)$ |
| Mirror monochromator | $R_{\rm int} = 0.020$ |
| ω scans | $\theta_{\text{max}} = 76.5^{\circ}, \theta_{\text{min}} = 5.4^{\circ}$ |
| Absorption correction: multi-scan | $h = -10 \longrightarrow 9$ |
| (CrysAlis PRO; Rigaku Oxford Diffraction, | $k = -15 \rightarrow 15$ |
| 2015) | $l = -14 \rightarrow 14$ |
| | |

Refinement

| Refinement on F^2 | 126 parameters |
|---------------------------------|---------------------------------------|
| Least-squares matrix: full | 0 restraints |
| $R[F^2 > 2\sigma(F^2)] = 0.018$ | Hydrogen site location: inferred from |
| $wR(F^2) = 0.046$ | neighbouring sites |
| S = 1.08 | H-atom parameters constrained |
| 2292 reflections | • |

$$w = 1/[\sigma^2(F_o^2) + (0.0233P)^2 + 0.7527P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\text{max}} < 0.001$$

$$\Delta\rho_{\text{min}} = -0.76 \text{ e Å}^{-3}$$

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\mathring{A}^2)

| | x | у | Z | $U_{ m iso}$ */ $U_{ m eq}$ | |
|-----|--------------|--------------|--------------|-----------------------------|--|
| Sn | 0.5000 | 0.5000 | 0.5000 | 0.00673 (6) | |
| C11 | 0.44665 (6) | 0.48762 (3) | 0.26545 (4) | 0.01508 (10) | |
| S1 | 0.55778 (5) | 0.24628 (3) | 0.43015 (3) | 0.00881 (9) | |
| F1 | 0.06456 (15) | 0.03219 (9) | 0.34347 (11) | 0.0248 (2) | |
| O1 | 0.60349 (15) | 0.33583 (9) | 0.52752 (10) | 0.0106 (2) | |
| C1 | 0.2332 (2) | 0.45714 (13) | 0.46551 (16) | 0.0130 (3) | |
| H1A | 0.2054 | 0.4746 | 0.5410 | 0.016* | |
| H1B | 0.1583 | 0.5013 | 0.3962 | 0.016* | |
| C2 | 0.1878 (2) | 0.34437 (13) | 0.43339 (15) | 0.0098 (3) | |
| C3 | 0.1093 (2) | 0.31260 (13) | 0.30871 (15) | 0.0111 (3) | |
| Н3 | 0.0838 | 0.3637 | 0.2440 | 0.013* | |
| C4 | 0.0679(2) | 0.20772 (14) | 0.27783 (15) | 0.0134 (3) | |
| H4 | 0.0147 | 0.1868 | 0.1930 | 0.016* | |
| C5 | 0.1058(2) | 0.13487 (13) | 0.37280 (16) | 0.0140 (3) | |
| C6 | 0.1822 (2) | 0.16192 (14) | 0.49747 (16) | 0.0144 (3) | |
| H6 | 0.2062 | 0.1101 | 0.5613 | 0.017* | |
| C7 | 0.2229(2) | 0.26727 (14) | 0.52668 (15) | 0.0121 (3) | |
| H7 | 0.2758 | 0.2873 | 0.6118 | 0.014* | |
| C8 | 0.6371 (2) | 0.13286 (13) | 0.52466 (15) | 0.0154 (3) | |
| H8A | 0.7576 | 0.1447 | 0.5786 | 0.023* | |
| H8B | 0.6312 | 0.0718 | 0.4708 | 0.023* | |
| H8C | 0.5662 | 0.1197 | 0.5766 | 0.023* | |
| C9 | 0.7181 (2) | 0.25482 (14) | 0.35875 (16) | 0.0159 (3) | |
| H9A | 0.7035 | 0.3209 | 0.3118 | 0.024* | |
| H9B | 0.7055 | 0.1952 | 0.3017 | 0.024* | |
| H9C | 0.8335 | 0.2530 | 0.4235 | 0.024* | |

Atomic displacement parameters (\mathring{A}^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|------------|--------------|--------------|--------------|--------------|--------------|---------------|
| Sn | 0.00785 (9) | 0.00543 (9) | 0.00565 (8) | 0.00005 (4) | 0.00078 (6) | -0.00080 (4) |
| C11 | 0.0208(2) | 0.0153(2) | 0.00719 (18) | 0.00143 (14) | 0.00249 (16) | 0.00013 (13) |
| S 1 | 0.00860 (18) | 0.00802 (18) | 0.00877 (16) | 0.00079 (13) | 0.00171 (14) | -0.00157 (13) |
| F1 | 0.0250(6) | 0.0089 (5) | 0.0328 (6) | -0.0026 (4) | 0.0006 (5) | -0.0014(5) |
| O1 | 0.0135 (6) | 0.0067 (5) | 0.0095 (5) | 0.0016 (4) | 0.0012 (4) | -0.0021(4) |
| C1 | 0.0082 (7) | 0.0131 (9) | 0.0172 (8) | -0.0007(6) | 0.0039 (6) | -0.0030(6) |
| | | | | | | |

supporting information

| C2 | 0.0059 (7) | 0.0112 (8) | 0.0122 (7) | 0.0000 (6) | 0.0032 (6) | -0.0012 (6) | |
|----|------------|------------|------------|-------------|------------|-------------|--|
| C3 | 0.0087 (7) | 0.0129 (8) | 0.0105 (7) | 0.0005 (6) | 0.0018 (6) | 0.0023 (6) | |
| C4 | 0.0115 (8) | 0.0152 (9) | 0.0117 (7) | -0.0004 (6) | 0.0020 (6) | -0.0028 (6) | |
| C5 | 0.0110 (8) | 0.0078 (8) | 0.0211 (8) | -0.0014 (6) | 0.0030 (6) | -0.0018 (6) | |
| C6 | 0.0117 (8) | 0.0151 (8) | 0.0152 (8) | 0.0015 (6) | 0.0032 (6) | 0.0065 (6) | |
| C7 | 0.0089 (8) | 0.0176 (8) | 0.0090 (7) | -0.0006 (6) | 0.0022 (6) | 0.0000 (6) | |
| C8 | 0.0228 (9) | 0.0080 (8) | 0.0141 (8) | 0.0027 (6) | 0.0049 (7) | 0.0002 (6) | |
| C9 | 0.0166 (9) | 0.0175 (9) | 0.0167 (8) | 0.0005 (6) | 0.0097 (7) | -0.0019 (6) | |

Geometric parameters (Å, °)

| Geometric parameters (A,) | | | |
|--------------------------------------|--------------|------------|-------------|
| Sn—C1 | 2.1628 (16) | C3—C4 | 1.390 (2) |
| Sn—C1 ⁱ | 2.1628 (16) | C3—H3 | 0.9500 |
| Sn—O1 | 2.2332 (11) | C4—C5 | 1.375 (2) |
| Sn—O1 ⁱ | 2.2332 (11) | C4—H4 | 0.9500 |
| Sn—Cl1 ⁱ | 2.5599 (4) | C5—C6 | 1.383 (2) |
| Sn—Cl1 | 2.5599 (4) | C6—C7 | 1.392 (2) |
| S1—O1 | 1.5417 (11) | C6—H6 | 0.9500 |
| S1—C9 | 1.7796 (17) | C7—H7 | 0.9500 |
| S1—C8 | 1.7815 (17) | C8—H8A | 0.9800 |
| F1—C5 | 1.360 (2) | C8—H8B | 0.9800 |
| C1—C2 | 1.494 (2) | C8—H8C | 0.9800 |
| C1—H1A | 0.9900 | C9—H9A | 0.9800 |
| C1—H1B | 0.9900 | C9—H9B | 0.9800 |
| C2—C7 | 1.400 (2) | C9—H9C | 0.9800 |
| C2—C3 | 1.401 (2) | | |
| C1—Sn—C1 ⁱ | 180.0 | C4—C3—C2 | 121.27 (15) |
| C1—Sn—O1 | 95.99 (5) | C4—C3—H3 | 119.4 |
| C1—Sn—Cl1 | 90.05 (5) | C2—C3—H3 | 119.4 |
| C1—Sn—Cl1 ⁱ | 89.95 (5) | C5—C4—C3 | 118.50 (15) |
| C1—Sn—O1 ⁱ | 84.01 (5) | C5—C4—H4 | 120.8 |
| C1—Sn—Cl1 ⁱ | 89.95 (5) | C3—C4—H4 | 120.8 |
| O1—Sn—Cl1 | 90.44 (3) | F1—C5—C4 | 118.88 (15) |
| O1—Sn—Cl1 ⁱ | 89.56 (3) | F1—C5—C6 | 118.46 (15) |
| C1 ⁱ —Sn—O1 | 84.01 (5) | C4—C5—C6 | 122.66 (16) |
| C1 ⁱ —Sn—O1 ⁱ | 95.99 (5) | C5—C6—C7 | 118.07 (15) |
| O1—Sn—O1 ⁱ | 180.0 | C5—C6—H6 | 121.0 |
| C1 ⁱ —Sn—C11 ⁱ | 90.05 (5) | C7—C6—H6 | 121.0 |
| O1 ⁱ —Sn—Cl1 ⁱ | 90.44 (3) | C6—C7—C2 | 121.47 (15) |
| O1 ⁱ —Sn—C11 | 89.56 (3) | C6—C7—H7 | 119.3 |
| Cl1 ⁱ —Sn—Cl1 | 180.000 (18) | C2—C7—H7 | 119.3 |
| O1—S1—C9 | 104.51 (8) | S1—C8—H8A | 109.5 |
| O1—S1—C8 | 102.41 (7) | S1—C8—H8B | 109.5 |
| C9—S1—C8 | 98.73 (8) | H8A—C8—H8B | 109.5 |
| S1—O1—Sn | 127.03 (6) | S1—C8—H8C | 109.5 |
| C2—C1—Sn | 115.97 (11) | H8A—C8—H8C | 109.5 |
| C2—C1—H1A | 108.3 | H8B—C8—H8C | 109.5 |

Acta Cryst. (2017). E**73**, 667-672

supporting information

| Sn—C1—H1A | 108.3 | S1—C9—H9A | 109.5 |
|-------------|-------------|-------------|--------------|
| C2—C1—H1B | 108.3 | S1—C9—H9B | 109.5 |
| Sn—C1—H1B | 108.3 | H9A—C9—H9B | 109.5 |
| H1A—C1—H1B | 107.4 | S1—C9—H9C | 109.5 |
| C7—C2—C3 | 118.03 (15) | H9A—C9—H9C | 109.5 |
| C7—C2—C1 | 121.12 (14) | H9B—C9—H9C | 109.5 |
| C3—C2—C1 | 120.85 (15) | | |
| | | | |
| C9—S1—O1—Sn | 92.64 (10) | C3—C4—C5—F1 | 179.52 (15) |
| C8—S1—O1—Sn | -164.80 (9) | C3—C4—C5—C6 | 0.4(3) |
| Sn—C1—C2—C7 | 81.29 (17) | F1—C5—C6—C7 | -179.60 (15) |
| Sn—C1—C2—C3 | -98.42 (16) | C4—C5—C6—C7 | -0.5(3) |
| C7—C2—C3—C4 | -0.3(2) | C5—C6—C7—C2 | 0.1(3) |
| C1—C2—C3—C4 | 179.42 (15) | C3—C2—C7—C6 | 0.2(2) |
| C2—C3—C4—C5 | 0.0(2) | C1—C2—C7—C6 | -179.50 (15) |
| | | | |

Symmetry code: (i) -x+1, -y+1, -z+1.

Hydrogen-bond geometry (Å, o)

Cg1 is the centroid of the C2–C7 ring.

| <i>D</i> —H··· <i>A</i> | <i>D</i> —H | $H\cdots A$ | D··· A | <i>D</i> —H··· <i>A</i> |
|---|-------------|-------------|-------------|-------------------------|
| C3—H3···F1 ⁱⁱ | 0.95 | 2.49 | 3.333 (2) | 147 |
| C6—H6···Cl1 ⁱⁱⁱ | 0.95 | 2.77 | 3.6129 (18) | 148 |
| C8—H8 <i>B</i> ···Cl1 ^{iv} | 0.98 | 2.76 | 3.6379 (17) | 150 |
| C9—H9 <i>C</i> ··· <i>Cg</i> 1 ^v | 0.98 | 2.67 | 3.3887 (19) | 130 |

Symmetry codes: (ii) -x, y+1/2, -z+1/2; (iii) x, -y-1/2, z-1/2; (iv) -x+1, y-1/2, -z+1/2; (v) x+1, y, z.

Acta Cryst. (2017). E73, 667-672 sup-4