

Received 24 March 2017 Accepted 28 March 2017

Edited by W. T. A. Harrison, University of Aberdeen, Scotland

‡ Additional correspondence author, e-mail: mmjotani@rediffmail.com.

Keywords: crystal structure; carbohydrazide; hydrogen bonding; halogen bonding; Hirshfeld surface analysis.

CCDC reference: 1540550

Supporting information: this article has supporting information at journals.iucr.org/e





N'-[1-(5-Bromo-2-hydroxyphenyl)ethylidene]isonicotinohydrazide monohydrate: crystal structure and Hirshfeld surface analysis

See Mun Lee,^a Nathan R. Halcovitch,^b Mukesh M. Jotani^c‡ and Edward R. T. Tiekink^a*

^aResearch Centre for Crystalline Materials, School of Science and Technology, Sunway University, 47500 Bandar Sunway, Selangor Darul Ehsan, Malaysia, ^bDepartment of Chemistry, Lancaster University, Lancaster LA1 4YB, United Kingdom, and ^cDepartment of Physics, Bhavan's Sheth R. A. College of Science, Ahmedabad, Gujarat 380001, India. *Correspondence e-mail: edwardt@sunway.edu.my

In the title isonicotinohydrazide hydrate, $C_{14}H_{12}BrN_3O_2 \cdot H_2O$ [systematic name: N'-[(1E)-1-(5-bromo-2-hydroxyphenyl)ethylidene]pyridine-4-carbohydrazidemonohydrate], the central CN_2O region of the organic molecule is planar and the conformation about the imine-C=N bond is E. While an intramolecular hydroxy-O-H···N(imine) hydrogen bond is evident, the dihedral angle between the central residue and the benzene rings is $48.99 (9)^{\circ}$. Overall, the molecule is twisted, as seen in the dihedral angle of 71.79 (6)° between the outer rings. In the crystal, hydrogen-bonding interactions, *i.e.* hydrazide-N- $H \cdots O(\text{water})$, water- $O - H \cdots O(\text{carbonyl})$ and water- $O - H \cdots N(\text{pyridyl})$, lead to supramolecular ribbons along the *a*-axis direction. Connections between these, leading to a three-dimensional architecture, are mediated by Br...Br halogen bonding [3.5366 (3) Å], pyridyl-C-H···O(carbonyl) as well as weak π - π interactions [inter-centroid separation between benzene rings = 3.9315 (12) Å]. The Hirshfeld surface analysis reveals the importance of hydrogen atoms in the supramolecular connectivity as well as the influence of the $Br \cdot \cdot Br$ halogen bonding.

1. Chemical context

Schiff bases play an important role in inorganic chemistry as they can easily form stable complexes with metal ions. Schiff base ligands have now been designed that may bind in a variety of modes in their metal complexes, *i.e.* monodentate, bidentate, tridentate and even tetradentate. Recent interest in the coordination of hydrazide Schiff base ligands arises owing to the presence of electron-donating nitrogen and oxygen atoms, allowing these to act as a multidentate ligands, and in some cases, function as supramolecular building blocks in their molecular assemblies (Wei et al., 2015; Nie & Huang 2006). In recent years, studies of organotin(IV) compounds has gained interest as a result of their potential industrial and biocidal applications (Davies et al., 2008). Among these compounds, the chemistry and applications of organotin(IV) complexes with Schiff base ligands have been studied extensively due to their structural diversity, thermal stability and biological properties. As part of on-going work with these ONO tridentate ligands (Lee et al., 2012, 2013, 2015), the crystal and molecular structures of the title compound (I), obtained as a side-product during the preparation of an organotin compound, is described along with a detailed evaluation of the

intermolecular association in the crystal through a Hirshfeld surface analysis.



Table 1Hydrogen-bond geometry (Å, °).

$D - H \cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - H \cdots A$
O2−H2 <i>O</i> ···N2	0.75 (3)	1.87 (3)	2.552 (2)	152 (3)
$N1 - H1N \cdots O1W$	0.88 (2)	1.91 (2)	2.779 (2)	170 (2)
$O1W - H1W \cdot \cdot \cdot N3^{i}$	0.84 (2)	1.98 (2)	2.822 (2)	176 (3)
$O1W - H2W \cdot \cdot \cdot O1^{ii}$	0.84 (2)	2.00 (2)	2.828 (2)	171 (2)
$C13-H13\cdots O1^{iii}$	0.95	2.54	3.387 (3)	148

Symmetry codes: (i) -x + 1, -y, -z + 1; (ii) x - 1, y, z; (iii) x, y - 1, z.

2. Structural commentary

The molecular structures of the constituents of (I) are shown in Fig. 1. The organic molecule features a central, essentially planar region flanked on either side by a pyridyl ring and a disubstituted benzene ring. The central residue comprising the N1, N2, O1 and C1 atoms is strictly planar [r.m.s. deviation of the fitted atoms = 0.0001 Å] with the C2 and C10 atoms lying 0.171 (3) and 0.010 (4) Å, respectively, out of the plane; the carbonyl-O and hydrazide-NH groups are anti. The sequence of N1-N2-C2-C3 [-177.59 (15)°], N2-N1-C1-C10 $[179.59 (15)^{\circ}]$ and C1-N1-N2-C2 $[171.14 (18)^{\circ}]$ torsion angles is consistent with an all-trans relationship in the central chain and a small twist about the N1-N2 bond. The conformation about the imine-C2=N2 bond [1.292 (2) Å] is E. An intramolecular hydroxy-O1-H···N2(imine) hydrogen bond is noted, Table 1. The dihedral angles between the central residue and the pyridyl and benzene rings are 23.16 (10) and $48.99 (9)^{\circ}$, respectively. As the six-membered rings are conrotatory with respect to the chain, the dihedral angle between them of $71.79~(6)^{\circ}$ indicates an approximately orthogonal relationship.

3. Supramolecular features

The most prominent feature of the supramolecular association is the formation of supramolecular ribbons, with a flat topology, parallel to $(0\overline{12})$, propagating along the *a*-axis direction and mediated by hydrogen-bonding interactions. In



Figure 1

The molecular structures of constituents of (I) showing the atom-labelling scheme and displacement ellipsoids at the 70% probability level.

essence, the water molecule provides links between three
organic molecules via hydrazide-N-H···O(water), water-
$O-H \cdots O(\text{carbonyl})$ and water- $O-H \cdots N(\text{pyridyl})$ hydrogen
bonds, Table 1. This association leads to centrosymmetric, 18-
membered $\{\cdots$ HOH \cdots NC ₄ O $_2$ synthons as shown in Fig. 2 <i>a</i> .
Lateral connections between ribbons are <i>via</i> halogen bonding
of the type $Br \cdot \cdot Br$. Here, the $Br \cdot \cdot Br^i$ separation is
3.5366 (3) Å [symmetry code: (i) $-1 - x$, $3 - y$, $2 - z$]. The
$C7-Br \cdot \cdot \cdot Br^{i}$ angle is 156.56 (5)°, and, being disposed about a
centre of inversion, the $C7-Br\cdots Br^{i}-C7^{i}$ torsion angle is
constrained by symmetry to 180°. The geometric character-
istics indicate the $Br \cdots Br^i$ halogen bond is classified as a type I
halogen bond (Desiraju & Parthasarathy, 1989). The connec-



Figure 2

Molecular packing in (I): (a) supramolecular ribbons propagating along the a axis sustained by hydrazide- $N-H\cdots O(water)$ (shown as blue dashed lines), and water- $O-H\cdots O(carbonyl)$ and water-O- $H\cdots N(pyridyl)$ hydrogen-bonds (orange dashed lines). Intramolecular hydroxy- $O-H\cdots N(imine)$ hydrogen-bonds are also indicated (pink dashed lines); (b) a view of the unit-cell contents in projection down the a axis. The Br \cdots Br and $C-H\cdots O$ interactions are shown as olivegreen and green dashed lines, respectively.

research communications

Table 2	
Summary of short interatomic contacts (Å) in	a (I)

Contact	distance	symmetry operation
Br1···Br1	3.5366 (3)	-1 - x, 3 - y, 2 - z
C12···C12	3.161 (3)	2 - x, -y, 1 - z
N3···C13	3.207 (3)	1 - x, -y, 1 - z
$C9 \cdot \cdot \cdot O1W$	3.168 (2)	x, y, z
Br1···H5	3.02	-1 + x, y, z
$O1W \cdots H9C$	2.62	x, y, z
$O1W \cdot \cdot \cdot H11$	2.65	1-x, 1-y, 1-z
O2· · · H9 <i>B</i>	2.63	1 + x, y, z
$O2 \cdot \cdot \cdot H14$	2.66	x, 1 + y, z
$C2 \cdot \cdot \cdot H12$	2.85	1 - x, 1 - y, 1 - z
$C4 \cdot \cdot \cdot H14$	2.77	x, 1 + y, z
$C12 \cdot \cdot \cdot H1W$	2.84 (2)	1 - x, -y, 1 - z

tions between the layers are of the type pyridyl-C– H···O(carbonyl), Table 1. These are reinforced by weak π - π interactions between inversion-related benzene rings: intercentroid separation = 3.9315 (12) Å for symmetry operation -x, 2 - y, 2 - z.

4. Hirshfeld surface analysis

The analysis of the Hirshfeld surface for (I) was performed as per a recent publication (Wardell *et al.*, 2016). Views of the Hirshfeld surface mapped over the calculated electrostatic potential are given in Fig. 3. It is important to note that despite its small size relative to the organic species, the presence of water in the crystal lattice exerts a great influence on the packing of (I) owing to the involvement of all of its atoms in conventional hydrogen bonds as well as short interatomic contacts (Table 2). This is also seen through the appearance in Fig. 3a of a light-red spot (negative potential) within the surface near the water-O1W atoms as well as the blue regions (positive potential) about the water-H1W and H2W atoms, which correspond to the acceptor and donors of the hydrogen bonds, respectively. Similarly, the other donor and acceptor atoms participating in the more significant intermolecular interactions are viewed as the blue and red regions, respectively, in Fig. 3. The donors and acceptors of water-O- $H \cdots O(\text{carbonyl})$ and water- $O - H \cdots N(\text{pyridyl})$ hydrogen bonds on the Hirshfeld surfaces mapped over d_{norm} in Fig. 4 appear as bright-red spots near the respective atoms. The presence of red spots near the Br1 and pyridine-C12 atoms in Fig. 4b also highlight the significant contribution of $Br \cdots Br$ and $C \cdot \cdot C$ contacts to the molecular packing. The presence of faint-red spots near the pyridyl-N3, C13 and H13 atoms and the carbonyl-O1 atom indicate their contributions to short interatomic $C \cdots N/N \cdots C$ contacts (Table 2) and comparatively weak intermolecular C-H···O interactions, respectively. The immediate environments about a reference pair of molecules comprising (I) within the d_{norm} - (Fig. 5a and b) and shape-index- (Fig. 5c) mapped Hirshfeld surfaces highlighting the various short interatomic contacts influential on the molecular packing are illustrated in Fig. 5. The $C \cdot \cdot H/H \cdot \cdot C$ and $O \cdots H/H \cdots O$ contacts, Fig. 5a, $C \cdots C$ and $C \cdots N/N \cdots C$ contacts, Fig. 5b, and $Br \cdots Br$ and $Br \cdots H/H \cdots Br$ contacts,



Figure 3

Views of the Hirshfeld surface for (I) mapped over the electrostatic potential over the range -0.122 to +0.156 au.







Fig. 5c, identify their roles in consolidating the packing in the crystal.

Figure 5

Views of the Hirshfeld surfaces, mapped over (a) and (b) d_{norm} and (c) shape-index, about a reference pair of molecules comprising (I) highlighting short interatomic (a) $C \cdots H/H \cdots C$ and $O \cdots H/H \cdots O$ contacts through sky-blue and red dashed lines, respectively, (b) $C \cdots C$ and $C \cdots N/N \cdots C$ contacts through white and red dashed lines, respectively, and (c) $Br \cdots Br$ and $Br \cdots H/H \cdots Br$ contacts through red and sky-blue dashed lines, respectively.

Table 3							
Percentage	contribution	to	interatomic	contacts	from	the	Hirshfeld
surface for	(I).						

Contact	percentage contribution
H···H	31.9
O···H/H···O	18.3
$C \cdot \cdot \cdot H/H \cdot \cdot \cdot C$	17.9
$Br \cdot \cdot \cdot H/H \cdot \cdot \cdot Br$	9.3
$N \cdots H/H \cdots N$	8.9
$Br \cdot \cdot \cdot C/C \cdot \cdot \cdot Br$	3.1
$C \cdots C$	2.8
$Br \cdot \cdot \cdot N/N \cdot \cdot \cdot Br$	2.3
$C \cdots N / N \cdots C$	1.6
$Br \cdot \cdot \cdot Br$	1.5
$Br \cdot \cdot \cdot O/O \cdot \cdot \cdot Br$	1.5
$C \cdot \cdot \cdot O / O \cdot \cdot \cdot C$	0.8
$N \cdots N$	0.1

The overall two-dimensional fingerprint plot, Fig. 6a, and those delineated into $H \cdots H$, $O \cdots H/H \cdots O$, $C \cdots H/H \cdots C$, $Br \cdots H/H \cdots Br$, $N \cdots H/H \cdots N$, $C \cdots C$, $Br \cdots Br$ and $C \cdots N/P$ N···C contacts (McKinnon et al., 2007) are illustrated in Fig. 6b-i, respectively; their relative contributions to the Hirshfeld surfaces are summarized in Table 3. The fingerprint plot delineated into $H \cdots H$ contacts, Fig. 6b, shows that while these contacts have the greatest contribution to the Hirshfeld surface, i.e. 31.9%, due to the involvement of most of the hydrogen atoms of the molecule in hydrogen bonds and short interatomic $O \cdots H/H \cdots O$ and $C \cdots H/H \cdots C$ contacts, there are relatively few hydrogen atoms available on the surface to form interatomic H...H contacts and, when in contact, are farther than the sum of their van der Waals radii. The pair of spikes with tips at $d_{\rm e}$ + $d_{\rm i}$ ~ 2.0 Å in each of the fingerprint plots delineated into $O \cdots H/H \cdots O$ contacts, Fig. 6c, and $N \cdots H/H \cdots N$ contacts, Fig. 6f, arise as a result of $O - H \cdots O$ and O-H···N hydrogen bonds. As the Hirshfeld surfaces and two-dimensional fingerprint plots shown here are inclusive of the water molecule, neither bright-red spots near the donoracceptor atoms of hydrazine-N-H···O(water) hydrogen bonds are seen on the d_{norm} -mapped Hirshfeld surface in Fig. 4 nor is there a pair of spikes on the corresponding fingerprint plot. Thus, the 18.3% contribution from O···H/H···O contacts to the surface results from the $O-H \cdots O$ hydrogen bonds and short interatomic contacts involving these atoms only (Table 2 and Fig. 5b). The conformational relationship between each of the pyridyl and benzene rings to the central planar region make these residues available for forming $C \cdots H/H \cdots C$ contacts. The significant contribution of 17.9% from $C \cdot \cdot \cdot H/H \cdot \cdot \cdot C$ contacts results from the short interatomic contacts listed in Table 2, and appears as a symmetrical distribution of points showing characteristic wings in Fig. 6d with the pair of peaks at $d_e + d_i \sim 2.8$ Å; these short interatomic contacts are illustrated in Fig. 5a. A forceps-like fingerprint plot corresponding to Br...H/H...Br contacts in Fig. 6e with its tips at $d_e + d_i \sim 3.0$ Å represents the influence of the halogen...hydrogen interactions in the molecular packing. Along with Br · · · H/H · · · Br contacts, Table 2, the Br2 atom exerts an influence upon the molecular packing via $Br \cdots Br$ contacts, as evident in Fig. 6h as a very thin line

research communications



Figure 6

Fingerprint plots for (I): (a) overall and those delineated into (b) $H \cdots H$, (c) $O \cdots H/H \cdots O$, (d) $C \cdots H/H \cdots C$, (e) $Br \cdots H/H \cdots Br$, (f) $N \cdots H/H \cdots N$, (g) $C \cdots C$, (h) $Br \cdots Br$ and (i) $N \cdots C/C \cdots N$ contacts.

beginning at $d_e + d_i \sim 3.5$ Å. The contributions from other interatomic contacts involving the bromide atom have negligible effect on the crystal stability because their interatomic distances are much greater than sum of their respective van der Waals radii. The small but notable contributions from the $C \cdots C$ and $C \cdots N/N \cdots C$ contacts to the Hirshfeld surface, Table 2, represent $\pi - \pi$ stacking interactions. In Fig. 6g, a spear-shaped distribution of points with the tip at $d_e + d_i \sim 3.2$ Å and an adjacent arrow-like distribution of points at $d_e = d_i \sim 1.9$ Å result, respectively, from interatomic $C \cdots C$ contacts and $\pi - \pi$ stacking interactions involving the C3–C8 ring. The short interatomic $\cdots N/N \cdots C$ contacts involving the pyridyl-C13 and N3 atoms, Fig. 5*b*, are reflected in a pair of small peaks at $d_e + d_i \sim 3.2$ Å in Fig. 6*i*. The small contributions from other interatomic contacts listed in Table 2 have a negligible effect on the overall packing of (I).

5. Database survey

The most closely related structure to (I) in the crystallographic literature (Groom *et al.*, 2016) is one that lacks the iminemethyl substituent and is anhydrous, hereafter referred to as

Table 4Selected geometric parameters (Å, °) for (I) and (II).

Parameter	(I)	$(II)^a$
N1-N2	1.375 (2)	1.369 (4)
C1-O1	1.225 (2)	1.204 (4)
C1-N1	1.362 (2)	1.353 (4)
C2-N2	1.292 (2)	1.270 (4)
C4-O2	1.355 (2)	1.352 (3)
Br1-C7	1.9084 (17)	1.895 (3)

(II); a similar numbering scheme is adopted here. This structure has been reported twice (Yang, 2006; Sedaghat et al., 2014) and data from the first determination are employed herein. Selected geometric parameters are collected in Table 4, from which it can be seen that there are no experimentally significant differences between the structures. However, there are conformational differences between the molecules as highlighted in the overlay diagram shown in Fig. 7. While there is a close coincidence between the benzene rings and the first few atoms of the chain linking the rings, a twist occurs about the C1-C10 bond in (II), as seen in the N1-C1-C10-C14 torsion angle of $24.2 (5)^{\circ}$. The major consequence of this is seen in the dihedral angle between the rings of $11.23 (11)^{\circ} cf$. the near to orthogonal relationship in (I). This conformational difference likely relates to the distinct supramolecular association in the crystals of (I) and (II). In (II), with no water molecule to form hydrogen bonds, direct links between the organic molecules are of the type hydrazide-N- $H \cdots N(pyridyl)$ and lead to zigzag supramolecular chains, as illustrated in Fig. 8. Also evident from Fig. 8, is the close proximity of the bromide and oxygen atoms, which form type I $Br \cdots O$ halogen bonds, the separation between the atoms being 3.117 (3)°.

6. Synthesis and crystallization

All chemicals and solvents were used as purchased without purification, and all reactions were carried out under ambient conditions. The melting point was determined using an Electrothermal digital melting-point apparatus and was uncorrected. The IR spectrum for the compound was obtained on a Perkin Elmer Spectrum 400 FT Mid-IR/Far-IR spectrophotometer from 4000 to 400 cm⁻¹. The ¹H NMR spectrum



Figure 7

Overlay diagram of the organic molecule in (I), red image, and (II), blue image. The molecules are overlapped so the benzene rings are coincident.



Figure 8

Table 5

A view of the zigzag supramolecular chain in (II) mediated by hydrazide-N $-H\cdots$ N(pyridyl) hydrogen bonds shown as blue dashed lines. The Br \cdots O halogen bonds are indicated by purple dashed lines.

was recorded at room temperature in CDCl₃ solution on a Jeol ECA 400 MHz FT–NMR spectrometer.

1-(5-Bromo-2-hydroxyphenyl)ethylidene]isonicotinohydrazide (1.0 mmol, 0.333 g) and triethylamine (1.0 mmol, 0.14 ml) in methanol (25 ml) were added to di-*n*-butyltin dichloride (1.0 mmol, 0.303 g) in methanol (10 ml). The resulting mixture was stirred and refluxed for 3 h. A cloudy orange solution was obtained and the mixture was filtered. The filtrate was allowed to stand at room temperature and yellow crystals, suitable for

Experimental details.	
Crystal data	
Chemical formula	C ₁₄ H ₁₂ BrN ₃ O ₂ ·H ₂ O
M _r	352.19
Crystal system, space group	Triclinic, $P\overline{1}$
Temperature (K)	100
a, b, c (Å)	7.1123 (2), 7.7841 (2), 13.3011 (5)
α, β, γ (°)	87.604 (3), 84.299 (3), 72.447 (3)
$V(\dot{A}^3)$	698.57 (4)
Z	2
Radiation type	Cu Ka
$\mu (\text{mm}^{-1})$	4.15
Crystal size (mm)	$0.29 \times 0.18 \times 0.04$
Data collection	
Diffractometer	Agilent SuperNova, Dual, Cu at zero, AtlasS2
Absorption correction	Multi-scan (<i>CrysAlis PRO</i> ; Rigaku Oxford Diffraction, 2015)
T_{\min}, T_{\max}	0.652, 1.000
No. of measured, independent and observed $[I > 2\sigma(I)]$ reflections	12875, 2774, 2679
R _{int}	0.035
$(\sin \theta / \lambda)_{\rm max} ({\rm \AA}^{-1})$	0.625
Refinement	
$R[F^2 > 2\sigma(F^2)], wR(F^2), S$	0.027, 0.073, 1.06
No. of reflections	2774
No. of parameters	203
No. of restraints	3
H-atom treatment	H-atom parameters not refined
$\Delta \rho_{\rm max}, \Delta \rho_{\rm min} ({\rm e} {\rm \AA}^{-3})$	0.73, -0.45

Computer programs: CrysAlis PRO (Rigaku Oxford Diffraction, 2015), SHELXS (Sheldrick, 2008), SHELXL2014/7 (Sheldrick, 2015), ORTEP-3 for Windows (Farrugia, 2012), QMol (Gans & Shalloway, 2001), DIAMOND (Brandenburg, 2006) and publCIF (Westrip, 2010).

research communications

X-ray crystallographic studies, were obtained after the slow evaporation. The yellow crystals were found to be a sideproduct from the reaction mixture. Yield: 0.112 g, 34%; M.p. 501 K. IR (cm⁻¹): 3158(*br*), 1666(*s*), 1548(*s*), 1152 (*m*), 964(*s*) cm^{-1. 1}H NMR (in CDCl₃): 11.20 (*s*, 1H, NH), 8.73-8.82, 7.92-8.20, 6.80-6.99 (*m*, 7H, aromatic-H), 4.82 (*br*, 2H, H₂O), 4.10 (*br*, 1H, OH), 3.13 (*s*, 3H, –CH₃).

7. Refinement details

Crystal data, data collection and structure refinement details are summarized in Table 5. Carbon-bound H atoms were placed in calculated positions (C-H = 0.99–1.00 Å) and were included in the refinement in the riding-model approximation, with $U_{iso}(H)$ set to $1.2U_{eq}(C)$.

Acknowledgements

The authors are grateful to Sunway University (INT-RRO-2017–096) and the Ministry of Higher Education of Malaysia (MOHE) Fundamental Research Grant Scheme (Grant No: FP033–2014B) for supporting this research.

Funding information

Funding for this research was provided by: Sunway University (award No. INT-RRO-2017-096); Ministry of Higher Education of Malaysia (award No. FP033-2014B). References

- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Davies, A. G., Gielen, M., Pannell, K. H. & Tiekink, E. R. T. (2008). *Tin Chemistry, Fundamentals, Frontiers, and Applications*. Chichester: John Wiley & Sons Ltd.
- Desiraju, G. R. & Parthasarathy, R. (1989). J. Am. Chem. Soc. 111, 8725–8726.
- Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849-854.
- Gans, J. & Shalloway, D. (2001). J. Mol. Graphics Modell. 19, 557–559.
- Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). *Acta Cryst.* B72, 171–179.
- Lee, S. M., Mohd Ali, H., Sim, K. S., Abdul Malek, S. N. & Lo, K. M. (2013). *Inorg. Chim. Acta*, **406**, 272–278.
- Lee, S. M., Mohd Ali, H., Sim, K. S., Abdul Malek, S. N. & Lo, K. M. (2012). Appl. Organomet. Chem. 26, 310–319.
- Lee, S. M., Sim, K. S. & Lo, K. M. (2015). *Inorg. Chim. Acta*, **429**, 195–208.
- McKinnon, J. J., Jayatilaka, D. & Spackman, M. A. (2007). *Chem. Commun.* pp. 3814–3816.
- Nie, A. & Huang, Z. (2006). J. Comb. Chem. 8, 655-658.
- Rigaku Oxford Diffraction (2015). CrysAlis PRO. Agilent Technologies Inc., Santa Clara, CA, USA.
- Sedaghat, T., Yousefi, M., Bruno, G., Rudbari, H. A., Motamedi, H. & Nobakht, V. (2014). *Polyhedron*, **79**, 88–96.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sheldrick, G. M. (2015). Acta Cryst. C71, 3-8.
- Wardell, J. L., Jotani, M. M. & Tiekink, E. R. T. (2016). Acta Cryst. E72, 1618–1627.
- Wei, Z., Wang, J., Jiang, X., Li, Y., Chen, G. & Xie, Q. (2015). Chin. J. Appl. Chem. 32, 1014–1020.
- Westrip, S. P. (2010). J. Appl. Cryst. 43, 920-925.
- Yang, D.-S. (2006). Acta Cryst. E62, 03792-03793.

supporting information

Acta Cryst. (2017). E73, 630-636 [https://doi.org/10.1107/S2056989017004790]

N'-[1-(5-Bromo-2-hydroxyphenyl)ethylidene]isonicotinohydrazide monohydrate: crystal structure and Hirshfeld surface analysis

See Mun Lee, Nathan R. Halcovitch, Mukesh M. Jotani and Edward R. T. Tiekink

Computing details

Data collection: *CrysAlis PRO* (Rigaku Oxford Diffraction, 2015); cell refinement: *CrysAlis PRO* (Rigaku Oxford Diffraction, 2015); data reduction: *CrysAlis PRO* (Rigaku Oxford Diffraction, 2015); program(s) used to solve structure: *SHELXS* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014*/7 (Sheldrick, 2015); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012), *QMol* (Gans & Shalloway, 2001) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *publCIF* (Westrip, 2010).

N'-[(1E)-1-(5-Bromo-2-hydroxyphenyl)ethylidene]pyridine-4-carbohydrazide monohydrate

Crystal data

 $C_{14}H_{12}BrN_{3}O_{2} \cdot H_{2}O$ $M_{r} = 352.19$ Triclinic, $P\overline{1}$ a = 7.1123 (2) Å b = 7.7841 (2) Å c = 13.3011 (5) Å a = 87.604 (3)° $\beta = 84.299$ (3)° $\gamma = 72.447$ (3)° V = 698.57 (4) Å³

Data collection

Agilent SuperNova, Dual, Cu at zero, AtlasS2 diffractometer Radiation source: micro-focus sealed X-ray tube, SuperNova (Cu) X-ray Source Mirror monochromator ω scans Absorption correction: multi-scan (CrysAlisPro; Rigaku Oxford Diffraction, 2015) $T_{\min} = 0.652, T_{\max} = 1.000$

Refinement

Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.027$ $wR(F^2) = 0.073$ S = 1.062774 reflections Z = 2 F(000) = 356 $D_x = 1.674 \text{ Mg m}^{-3}$ Cu Ka radiation, $\lambda = 1.54184 \text{ Å}$ Cell parameters from 8299 reflections $\theta = 3.3-73.7^{\circ}$ $\mu = 4.15 \text{ mm}^{-1}$ T = 100 KPlate, yellow $0.29 \times 0.18 \times 0.04 \text{ mm}$

12875 measured reflections 2774 independent reflections 2679 reflections with $I > 2\sigma(I)$ $R_{int} = 0.035$ $\theta_{max} = 74.5^\circ$, $\theta_{min} = 3.3^\circ$ $h = -8 \rightarrow 8$ $k = -9 \rightarrow 9$ $l = -15 \rightarrow 16$

203 parameters3 restraintsHydrogen site location: inferred from neighbouring sitesH-atom parameters not refined $w = 1/[\sigma^2(F_o^2) + (0.0482P)^2 + 0.327P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} = 0.002$

$\begin{array}{l} \Delta\rho_{\rm max}=0.73~{\rm e}~{\rm \AA}^{-3}\\ \Delta\rho_{\rm min}=-0.45~{\rm e}~{\rm \AA}^{-3} \end{array}$

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters $(Å^2)$

	x	У	Ζ	$U_{ m iso}$ */ $U_{ m eq}$
Br1	-0.28431 (2)	1.37135 (2)	0.92836 (2)	0.01956 (9)
01	0.7358 (2)	0.50978 (18)	0.66291 (11)	0.0213 (3)
O2	0.53522 (19)	0.85281 (19)	0.85029 (11)	0.0193 (3)
H2O	0.528 (4)	0.777 (4)	0.819 (2)	0.029*
N1	0.4214 (2)	0.4971 (2)	0.70654 (13)	0.0169 (3)
N2	0.3809 (2)	0.6565 (2)	0.75717 (12)	0.0169 (3)
H1N	0.330 (3)	0.457 (3)	0.6853 (18)	0.020*
N3	0.7466 (2)	-0.0677 (2)	0.50649 (13)	0.0205 (3)
C1	0.6085 (3)	0.4338 (2)	0.66074 (15)	0.0168 (4)
C2	0.2022 (3)	0.7409 (2)	0.79238 (14)	0.0157 (4)
C3	0.1803 (3)	0.9134 (2)	0.84109 (14)	0.0157 (4)
C4	0.3461 (3)	0.9597 (2)	0.86858 (14)	0.0167 (4)
C5	0.3202 (3)	1.1216 (3)	0.91635 (15)	0.0190 (4)
Н5	0.4320	1.1492	0.9367	0.023*
C6	0.1337 (3)	1.2432 (2)	0.93470 (15)	0.0191 (4)
H6	0.1169	1.3542	0.9668	0.023*
C7	-0.0282 (3)	1.2004 (2)	0.90563 (14)	0.0163 (4)
C8	-0.0088 (3)	1.0386 (2)	0.86125 (14)	0.0172 (4)
H8	-0.1230	1.0111	0.8442	0.021*
C9	0.0260 (3)	0.6761 (2)	0.78392 (16)	0.0192 (4)
H9A	-0.0276	0.7156	0.7189	0.029*
H9B	-0.0757	0.7262	0.8390	0.029*
H9C	0.0662	0.5442	0.7884	0.029*
C10	0.6498 (3)	0.2595 (2)	0.60670 (15)	0.0168 (4)
C11	0.7443 (3)	0.2420 (3)	0.50953 (15)	0.0191 (4)
H11	0.7793	0.3399	0.4763	0.023*
C12	0.7863 (3)	0.0775 (3)	0.46231 (16)	0.0211 (4)
H12	0.8465	0.0668	0.3949	0.025*
C13	0.6583 (3)	-0.0494 (3)	0.60073 (16)	0.0202 (4)
H13	0.6308	-0.1512	0.6334	0.024*
C14	0.6051 (3)	0.1114 (2)	0.65315 (15)	0.0191 (4)
H14	0.5396	0.1200	0.7194	0.023*
O1W	0.1501 (2)	0.3754 (2)	0.61615 (13)	0.0287 (3)
H1W	0.184 (5)	0.286 (3)	0.5776 (19)	0.043*
H2W	0.0259 (15)	0.409 (4)	0.624 (2)	0.043*

supporting information

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Br1	0.01371 (12)	0.01378 (12)	0.02867 (14)	-0.00048 (8)	0.00004 (8)	-0.00385 (8)
01	0.0149 (6)	0.0178 (6)	0.0320 (8)	-0.0063 (5)	0.0013 (5)	-0.0063 (5)
02	0.0114 (6)	0.0165 (6)	0.0298 (8)	-0.0029 (5)	-0.0014 (5)	-0.0068 (5)
N1	0.0128 (7)	0.0141 (7)	0.0244 (8)	-0.0041 (6)	-0.0011 (6)	-0.0057 (6)
N2	0.0150 (7)	0.0130 (7)	0.0220 (8)	-0.0026 (6)	-0.0016 (6)	-0.0042 (6)
N3	0.0143 (7)	0.0171 (7)	0.0296 (9)	-0.0025 (6)	-0.0046 (6)	-0.0048 (6)
C1	0.0138 (8)	0.0153 (8)	0.0208 (9)	-0.0032 (7)	-0.0033 (7)	0.0001 (7)
C2	0.0135 (8)	0.0147 (8)	0.0184 (9)	-0.0031 (7)	-0.0024 (7)	-0.0001 (7)
C3	0.0137 (8)	0.0142 (8)	0.0189 (9)	-0.0042 (7)	-0.0003 (7)	-0.0005 (7)
C4	0.0129 (8)	0.0164 (8)	0.0203 (9)	-0.0039 (7)	-0.0001 (7)	0.0003 (7)
C5	0.0153 (9)	0.0182 (9)	0.0249 (10)	-0.0069 (7)	-0.0012 (7)	-0.0027 (7)
C6	0.0212 (9)	0.0141 (8)	0.0224 (10)	-0.0060 (7)	-0.0007 (7)	-0.0029 (7)
C7	0.0126 (8)	0.0133 (8)	0.0205 (9)	-0.0009 (6)	0.0020 (7)	-0.0026 (7)
C8	0.0139 (8)	0.0160 (8)	0.0220 (9)	-0.0054 (7)	-0.0005 (7)	-0.0009 (7)
C9	0.0139 (8)	0.0152 (8)	0.0288 (10)	-0.0049 (7)	0.0010 (7)	-0.0064 (7)
C10	0.0118 (8)	0.0144 (8)	0.0235 (9)	-0.0021 (6)	-0.0029 (7)	-0.0031 (7)
C11	0.0154 (8)	0.0175 (9)	0.0240 (10)	-0.0042 (7)	-0.0015 (7)	-0.0003 (7)
C12	0.0167 (9)	0.0211 (9)	0.0238 (10)	-0.0030 (7)	-0.0010 (7)	-0.0044 (7)
C13	0.0157 (9)	0.0161 (8)	0.0287 (10)	-0.0042 (7)	-0.0029 (7)	-0.0006 (7)
C14	0.0158 (9)	0.0171 (9)	0.0241 (10)	-0.0047 (7)	-0.0009 (7)	-0.0013 (7)
O1W	0.0143 (7)	0.0285 (8)	0.0436 (9)	-0.0054 (6)	0.0008 (6)	-0.0199 (7)

Atomic displacement parameters $(Å^2)$

Geometric parameters (Å, °)

Br1—C7	1.9084 (17)	C6—C7	1.384 (3)
01—C1	1.225 (2)	С6—Н6	0.9500
O2—C4	1.355 (2)	С7—С8	1.377 (3)
O2—H2O	0.75 (3)	C8—H8	0.9500
N1—C1	1.362 (2)	С9—Н9А	0.9800
N1—N2	1.375 (2)	C9—H9B	0.9800
N1—H1N	0.876 (10)	С9—Н9С	0.9800
N2—C2	1.292 (2)	C10—C11	1.388 (3)
N3—C13	1.338 (3)	C10—C14	1.391 (3)
N3—C12	1.344 (3)	C11—C12	1.387 (3)
C1-C10	1.497 (3)	C11—H11	0.9500
С2—С3	1.475 (3)	C12—H12	0.9500
С2—С9	1.500 (3)	C13—C14	1.390 (3)
С3—С8	1.410 (3)	C13—H13	0.9500
C3—C4	1.417 (3)	C14—H14	0.9500
C4—C5	1.389 (3)	O1W—H1W	0.844 (10)
С5—С6	1.383 (3)	O1W—H2W	0.839 (10)
С5—Н5	0.9500		
C4—O2—H2O	105 (2)	C6—C7—Brl	118.68 (14)
C1—N1—N2	115.40 (15)	C7—C8—C3	120.15 (18)

C1—N1—H1N	117.6 (16)	С7—С8—Н8	119.9
N2—N1—H1N	123.5 (17)	С3—С8—Н8	119.9
C2—N2—N1	120.71 (16)	С2—С9—Н9А	109.5
C13—N3—C12	117.39 (17)	С2—С9—Н9В	109.5
01—C1—N1	123.98 (18)	H9A—C9—H9B	109.5
O1—C1—C10	121.51 (17)	С2—С9—Н9С	109.5
N1—C1—C10	114.51 (16)	H9A—C9—H9C	109.5
N2—C2—C3	114.57 (17)	H9B—C9—H9C	109.5
N2—C2—C9	124.46 (17)	C11—C10—C14	118.92 (18)
C3—C2—C9	120.96 (16)	C11—C10—C1	119.27 (16)
C8—C3—C4	117.92 (17)	C14—C10—C1	121.72 (17)
C8—C3—C2	120.36 (17)	C12—C11—C10	118.14 (17)
C4—C3—C2	121.72 (16)	C12—C11—H11	120.9
O2—C4—C5	116.47 (17)	C10-C11-H11	120.9
O2—C4—C3	123.21 (17)	N3—C12—C11	123.72 (18)
C5—C4—C3	120.32 (17)	N3—C12—H12	118.1
C6—C5—C4	120.84 (18)	C11—C12—H12	118.1
С6—С5—Н5	119.6	N3—C13—C14	123.11 (17)
С4—С5—Н5	119.6	N3—C13—H13	118.4
C5—C6—C7	118.98 (18)	C14—C13—H13	118.4
С5—С6—Н6	120.5	C13—C14—C10	118.67 (18)
С7—С6—Н6	120.5	C13—C14—H14	120.7
C8—C7—C6	121.74 (17)	C10—C14—H14	120.7
C8—C7—Br1	119.58 (14)	H1W—O1W—H2W	106 (3)
C1—N1—N2—C2	171.14 (18)	C5—C6—C7—Br1	-178.54 (14)
N2—N1—C1—O1	0.0 (3)	C6—C7—C8—C3	-2.2 (3)
N2—N1—C1—C10	179.59 (15)	Br1—C7—C8—C3	177.99 (14)
N1—N2—C2—C3	-177.59 (15)	C4—C3—C8—C7	0.5 (3)
N1—N2—C2—C9	1.0 (3)	C2—C3—C8—C7	-179.21 (17)
N2-C2-C3-C8	165.02 (17)	O1-C1-C10-C11	-47.1 (3)
C9—C2—C3—C8	-13.6 (3)	N1-C1-C10-C11	133.33 (18)
N2—C2—C3—C4	-14.6 (3)	O1—C1—C10—C14	129.6 (2)
C9—C2—C3—C4	166.75 (17)	N1-C1-C10-C14	-50.0 (3)
C8—C3—C4—O2	-177.99 (17)	C14-C10-C11-C12	1.3 (3)
C2—C3—C4—O2	1.7 (3)	C1-C10-C11-C12	178.06 (17)
C8—C3—C4—C5	1.7 (3)	C13—N3—C12—C11	1.2 (3)
C2—C3—C4—C5	-178.61 (17)	C10-C11-C12-N3	-2.3 (3)
O2—C4—C5—C6	177.42 (17)	C12—N3—C13—C14	0.8 (3)
C3—C4—C5—C6	-2.3 (3)	N3-C13-C14-C10	-1.7 (3)
C4—C5—C6—C7	0.6 (3)	C11—C10—C14—C13	0.5 (3)
C5—C6—C7—C8	1.6 (3)	C1—C10—C14—C13	-176.15 (17)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —Н	H···A	D····A	<i>D</i> —H··· <i>A</i>
02—H2 <i>O</i> …N2	0.75 (3)	1.87 (3)	2.552 (2)	152 (3)
N1 - H1N - O1W	0.88 (2)	1.91 (2)	2.779 (2)	170 (2)

Acta Cryst. (2017). E73, 630-636

			supporting information		
O1 <i>W</i> —H1 <i>W</i> …N3 ⁱ	0.84 (2)	1.98 (2)	2.822 (2)	176 (3)	
O1 <i>W</i> —H2 <i>W</i> ···O1 ⁱⁱ	0.84 (2)	2.00 (2)	2.828 (2)	171 (2)	
C13—H13…O1 ⁱⁱⁱ	0.95	2.54	3.387 (3)	148	

Symmetry codes: (i) -*x*+1, -*y*, -*z*+1; (ii) *x*-1, *y*, *z*; (iii) *x*, *y*-1, *z*.