



Crystallisation of Bis(N-hydroxyethyl-N-isopropyl Dithiocarbamato)Cadmium(II)

SUNWAY UNIVERSITY
RESEARCH CENTRE FOR
CRYSTALLINE MATERIALS
TAN YEE SENG

INTRODUCTION

- Crystallography
 - Structural determination method
- Crystallisation technique
 - Cadmium Dithiocabamate

2

CRYSTALLOGRAPHY


- Structural determination
 - Single Crystal X-Ray Diffraction (SCXRD)
 - Powder X-Ray Diffraction (PXRD/XPRD)

CRYSTALLISATION TECHNIQUE


- Slow evaporation
- Solvent diffusion
- Vapor diffusion
- Temperature Gradient
- Solvothermal/ hydrothermal
- Gel diffusion

CADMIUM DITHIOCARBAMATE







- Cadmium metal ion (Cd^{2+})
- Dithiocarbamate ligand



SLOW EVAPORATION (ACETONITRILE)



Characterisation and analysis?



CONCLUSION

- Crystallisation
 - Solvate free
- Observation
 - Crystallisation Process
- Various method
 - Polymorph

ACKNOWLEDGEMENT



- Sunway University
- SKAM29
- Professor Dr Edward R. T. Tiekkink
- Dr Siti Nadiah Binti Abdul Halim