



Crystal packing of diorganotin complexes with TRIS ligands

Lee See Mun
Research Center for Crystalline Materials (RCCM)
Sunway University



TRIS

- ❖ Tris(hydroxymethyl)aminomethane
- ❖ IUPAC name: 2-Amino-2-hydroxymethyl-propane-1,3-diol
- ❖ Primary amine, 3 hydroxy groups

TRIS

- ❖ Component of buffer solutions;
- ❖ pKa ~ 8.1 at 25°C, effective at pH 7-9
- ❖ Inexpensive, robust than more specialized buffers

TRIS

- ❖ Primary standard to standardize acid solutions for chemical analysis
- ❖ used as alternative to sodium bicarbonate in the treatment of metabolic acidosis

http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1208.html


TRIS

TRIS LIGAND

X = -H, -Br, -Cl; Y = -H, -OCH₃


TRIS LIGAND

Keto-enol form



7

TRIS LIGAND



4-Bromo-6-methoxy-2-
{[(tris(hydroxymethyl)methyl)iminium]phenolate}



S. M. Lee, K. M. Lo, S. L. Tan & Edward, R. T. Tiekkink, Acta Cryst (2016), E72: 1223-1227.

8

Literature Review

Yan, S. et al. (2007) [*J. Molecular Catalysis A*] :

- ❖ reported synthesis & X-ray structures of ligands & dioxomolybdenum(VI) complexes
 - ❖ catalytic applications of complexes in epoxidation of cyclohexane with *tert*-butyl hydroperoxide (TBHP)
 - ❖ configuration distorted octahedral,
- 1 coordinating water, 1 phenoxy oxygen, 1 methoxy oxygen




9

Literature Review

Asgebom, G. et al. (1995) [*Polyhedron*] :

- ❖ reported synthesis & characterization of ligands & oxovanadium(V) complexes
- ❖ evidence based on electrochemical studies & FTIR studies




where R = H, 3-OMe, 5-Me, 5-OH, 5,6-Benzo

10

Literature Review


Zhou, T. et al. (2009) [*Acta Cryst E*] :

- ❖ crystal structure of bis(6-methoxy-2-[(tris(hydroxymethyl)methyl)iminomethyl]phenolato- *N,O*)nickel(II) dehydrate
- ❖ octahedral Ni with 6-coordinated by 4 oxygens & 2 nitrogens




11

TRIS COMPLEXES




12

TRIS COMPLEXES




(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-bromophenolato)dibutyltin(IV), TB2

13




TRIS COMPLEXES




(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-bromophenolato)diphenyltin(IV), TB3

14




TRIS COMPLEXES




(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-chlorophenolato)diphenyltin(IV), TC3

15




TRIS COMPLEXES



(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-chlorophenolato)dicyclohexyltin(IV), TC4

16


TRIS COMPLEXES



(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-chlorophenolato)dicyclohexyltin(IV), TC4


17

TRIS COMPLEXES




(2-[{1,1-bis(hydroxymethyl)-2-oxidoethyl}iminomethyl]-4-chlorophenolato)dimethyltin(IV), TC1

18




TRIS COMPLEXES



bis[(2-{[1,1-bis(hydroxymethyl)-2-oxidoethyl]iminomethyl}phenolato)-dimethyltin(IV), TA1

19


TRIS COMPLEXES



bis[(2-{[1,1-bis(hydroxymethyl)-2-oxidoethyl]iminomethyl}-4-bromophenolato)-dimethyltin(IV), TB1

20


TRIS COMPLEXES



bis[(2-{[1,1-bis(hydroxymethyl)-2-oxidoethyl]iminomethyl}-4-bromophenolato)-dimethyltin(IV), TB1

21

TRIS COMPLEXES




bis[(2-{[1,1-bis(hydroxymethyl)-2-oxidoethyl]iminomethyl}-4-bromophenolato)-dimethyltin(IV), TB1

22

TRIS Complexes

Future works....



23

The 29th Malaysian Analytical Chemistry Symposium
Bayview Beach Resort, Penang, Malaysia
15-17 August 2016

SUNWAY
UNIVERSITY

Thank you



24